





























| Product   |                 | Unit   | Package   | Package weight |      | Package size mm |        |        |        | Package   | Package      | Private label available | CATALOGUE PRICE LIST |
|---|-----------------|--|---|----------------|------|-----------------|--------|--------|--------|-----------|--------------|-------------------------|----------------------|
| Picture   | CODE            | Description  | Size  | description    | kg   | diameter        | width  | length | height | items/box | items/pallet |                         |                      |
|    | <b>001-1211</b> | To mix adhesives and acrylic finishes<br>120mm diameter, 600mm long<br>zinc covered<br>treaded M-14 ending   | diameter 120 mm,<br>length 600 mm,<br>threaded M-14 |                | 1.00 | 120mm           |        | 600    |        | 10        | 340          |                         | € 15.13              |
|    | <b>001-1508</b> | Used for mixing adhesives and basecoat   | 90 litres   |                | 2.45 |                 |        |        |        | 1         |              |                         | € 13.20              |
|    | <b>001-0812</b> | Used to apply adhesive mortar on EPS boards.<br>Stainless steel stucco trowel trapezoid<br>115x160x90 with 2 component handgrip G-10   | 115x160x90  |                | 0.24 |                 | 90/115 | 160    |        | 20        | 2300         |                         | € 6.44               |
|    | <b>001-0335</b> | Small rasp for smoothing out EPS boards on reveals.<br>Made of PS with perforated metal tin-plate pad.<br>Abrasive float Rasp-type 125x265 perforated steel pad              | 125x265   |                | 0.33 | ##;LKN#;N       | 125    | 265    |        | 20        | 500          |                         | € 6.07               |
|  | <b>001-0341</b> | Large rasp for smoothing out EPS & basecoats.<br>Made of PS with PVC rasping pad. G-16handgrip (Registered pattern). Made of plastic.  | 165x365   |                |      |                 | 165    | 365    |        | 20        | 540          |                         | € 5.75               |
|  | <b>001-0343</b> | Large rasp for smoothing out EPS & basecoats.<br>Made of PS with PVC rasping pad. G-18 handgrip (Registered pattern). Abrasive float Rasp-type 160x380 perforated steel pad, | 160x380   |                |      |                 | 160    | 380    |        | 20        | 500          |                         | € 8.69               |


















| Product   |   |                 | Unit   | Package      | Package weight |       | Package size mm |       |        | Package | Package   | Private label available |   |       |
|---|---|-----------------|--|--------------|----------------|-------|-----------------|-------|--------|---------|-----------|-------------------------|---|-------|
| Picture   |   | CODE            | Description  | Size         | description    | kg    | diameter        | width | length | height  | items/box | items/pallet            |   |       |
|    | <b>Stainless steel trowel 001-0250.</b><br>130mm x 480 mm                     | <b>001-0250</b> | Used to apply base coats. Made of 0.65 mm thick stainless steel.   | 130x480 mm   |                | 0.555 |                 | 130   | 480    |         | 10        | 350                     | € | 14.47 |
|   |   |                 |  |              |                |       |                 |       |        |         |           |                         | € | -     |
|    | <b>Stainless steel trowel 001-0254 130x480 notch 10*10</b>                    | <b>001-0254</b> | Recommended by most EWIS suppliers. Used to apply base coats. Made of 0.65 mm thick stainless steel. notch 12*12                                       | 130x480 mm   |                | 0.505 |                 | 130   | 480    |         | 10        | 350                     | € | 14.91 |
|   |   |                 |  |              |                |       |                 |       |        |         |           |                         | € | -     |
|    | <b>Stainless steel trowel 001-0256 130x480 with 2 rounded corners</b>         | <b>001-0256</b> | Used to apply base coats<br>Made of 0.65 mm thick stainless steel<br>Two-component plastic handgrip (G-12)<br>2 Rounded corners<br><br>130x480 mm      | 130x480 mm   |                | 0.588 |                 | 130   | 480    |         | 10        | 350                     | € | 15.13 |
|   |   |                 |  |              |                |       |                 |       |        |         |           |                         | € | -     |
|    | <b>Plastic float 140x280 with 2 component handgrip G-17, with fine sponge</b> | <b>001-0384</b> | Plastic float with black sponge for smoothing EWIS basecoats & cement plasters.  | 140x280      |                | 0.312 |                 | 140   | 280    |         | 12        | 600                     | € | 4.25  |
|   |   |                 |  |              |                |       |                 |       |        |         |           |                         | € | -     |
|    | <b>Stainless Stucco Angular Trowel 0939.</b>                                  | <b>001-0939</b> | To form sharp & precise angles at internal corners on base coats.<br>Stucco angular trowel 60x85mm inner angle with 2 component handgrip G-5.          | 60x85mm      |                | 0.17  |                 | 60    | 85     |         | 20        | 3800                    | € | 7.35  |
|   |   |                 |  |              |                |       |                 |       |        |         |           |                         | € | -     |
|  | <b>Wall paint "Extra" 170x65 mm</b>   | <b>001-4336</b> | For priming and painting   | 170mm x 65mm |                | 0.428 |                 |       |        |         | 6         | 720                     | € | 19.02 |
|   |   |                 |  |              |                |       |                 |       |        |         |           |                         | € | -     |
|  | <b>Roller for rough ground DOUCOLOUR 230 mm</b>                               | <b>001-4106</b> | 230mm wide roller  | 230mm        |                | 0.36  |                 | 230   |        |         | 10        | 630                     | € | 6.29  |
|   |   |                 |  |              |                |       |                 |       |        |         |           |                         | € | -     |
|  | <b>Hawk - 001-9917</b>  | <b>001-9917</b> | For Acrylic Finish Coats. Made of PVC 330x330 mm<br>Two component plastic handgrip (G-2)<br><b>Keep your good aluminium hawk for skimming</b><br><br>□ | 330 x330 mm  |                | 0.517 |                 | 330   | 330    |         | 6         | 120                     | € | 6.84  |









| Product   |   |                           | Unit   | Package       | Package weight |             | Package size mm |       |        |        | Package            | Package      | Private label available |       |      |
|---|---|---------------------------|--|---------------|----------------|-------------|-----------------|-------|--------|--------|--------------------|--------------|-------------------------|-------|------|
| Picture   |   | CODE                      | Description  | Size          | description    | kg          | diameter        | width | length | height | items/box          | items/pallet |                         |       |      |
|    | <b>ZAKU Stainless Steel Rasps for Walls 190 x 325mm</b> | <b>026-19325</b>          |   | 190x325mm     |                | <b>1.50</b> |                 |       |        |        | 1                  | 160          | €                       | 94.00 |      |
|    | <b>ZAKU Rasp for reveals 100 x 200mm</b>                | <b>026-2030</b>           | Made of stainless steel.<br>Very high quality.<br>Long life tools for professionals.<br>Recommended for mineral wool insulation systems.   | 100x200mm     |                | <b>1.50</b> |                 |       |        |        | 1                  | 160          | €                       | 68.00 |      |
|    | <b>ZAKU Rasp for corners 50 x 50 x 200mm</b>            | <b>026-5520</b>           |   | 50x50x200mm   |                | <b>1.00</b> |                 |       |        |        | 1                  | 240          | €                       | 80.00 |      |
|    | <b>Anodized level 60 cm</b>                             | <b>001-1343</b>           | Shockproof indicators<br>Made of aluminium<br>Shockproof ending<br>Precision 0.029-0.5 mm/m<br>VERY HIGH QUALITY   | 600mm         |                | 0.20        |                 |       |        |        | 5                  |              | €                       | 14.65 |      |
|   | <b>Anodized level 120 cm</b>                            | <b>001-1346</b>           |  | 1200mm        |                | 0.64        |                 |       |        |        | 5                  |              | €                       | 20.58 |      |
|   | <b>Anodized level 200 cm</b>                            | <b>001-1348</b>           |  | 2000mm        |                | 1.03        |                 |       |        |        | 5                  |              | €                       | 38.62 |      |
|    | <b>Hand Saw 22 " -</b>                                  | <b>007-SAW 22</b>         | For cutting EPS and mineral wool boards in EWIS.<br>Material handle.<br>Hardened teeth for an universal cutting; 8 points of space between teeth.<br>GPITWO<br>pack 12 box 48  | 550mm         |                | 0.49        |                 |       |        |        | 48                 |              | €                       | 4.50  |      |
|  | <b>Hammer</b>   | <b>007-HAMMER</b>         | For EPS fixings<br>Weight: 600g<br>Glass fibre handle  | pack 8 box 48 |                | 1.00        |                 |       |        |        | 4 / PACK<br>24/BOX |              | €                       | 7.95  |      |
|  | <b>Gloves "Acrylic" size 9</b>                          | <b>007-ACRYLIC 9</b>      | Gloves for protection when applying EWIS base coats and finishes. Very light, very strong. Made z polyester, coated with polyurethane - gathered into ribbing<br>- resistant to rubbing out and tearing<br>- ensure dexterity and maintain "feel" of objects held<br>- demonstrates very good elasticity and perfect fit to the palm<br>- ideal for works where precision is required<br>- compliant with the EN388 (resistance levels: 4 1 3 1) and EN420 standards |               |                | 0.033       |                 |       |        |        | 120                | 7200         | €                       | 0.81  |      |
|   | <b>Gloves "Acrylic" size 10</b>                         | <b>007-ACRYLIC 10</b>     |  |               |                |             | 0.033           |       |        |        |                    | 120          | 7200                    | €     | 0.81 |
|  | <b>Gloves "EPS" size 8</b>                              | <b>007-EPS GLOVES 8</b>   | Gloves for protection when installing EPS boards. Flexible – perfect fitting. They do not shrink when subject to water . They ensure perfect gripping features by limiting the sliding of the object being held.<br>- used as a substitute for RNYLA gloves<br>- compatible with EN388 standards (resistance levels: 3131) and EN420<br>pack 12 box 120  |               |                | 0.058       |                 |       |        |        | 240                | 8400         | €                       | 0.99  |      |
|   | <b>Gloves "EPS" size 9</b>                              | <b>007-EPS GLOVES 9</b>   |  |               |                |             | 0.058           |       |        |        |                    | 240          | 8400                    | €     | 0.99 |
|   | <b>Gloves "EPS" size 10</b>                             | <b>007-EPS GLOVES 810</b> |  |               |                |             | 0.058           |       |        |        |                    | 240          | 8400                    | €     | 0.99 |

| Product   |                  |                 | Unit   | Package  | Package weight |      | Package size mm |       |        | Package | Package   | Private label available |    |   |        |
|---|------------------|-----------------|--|--|----------------|------|-----------------|-------|--------|---------|-----------|-------------------------|----|---|--------|
| Picture   |                  | CODE            | Description  | Size   | description    | kg   | diameter        | width | length | height  | items/box | items/pallet            |    |   |        |
|    | ZAKU MR-1010-115 | 033-MR-1010-115 | electronic regulation of rotations<br>mixing paints, glue, mortar, resins<br>drilling holes of big diameter<br>maximum torque 195/95 Nm<br>mechanical two-speed gearbox Parameters :<br><br>Max power 1010W<br>Rated voltage, frequency 230V or 115V, 50Hz<br>Max. drilling diameter in wood 50mm<br>Max. diameter of stirrer 160mm<br>Stirrer chuck M14<br>Speed on idle run – first gear 0-300 rpm/min<br>Speed on idle run – second gear 0-610 rpm/min<br>Max rated current 4,5A<br>Rated moment – first gear 18Nm<br>Rated moment – second gear 9Nm<br>Maximum torque – first gear 195Nm<br>Maximum torque – second gear 95Nm<br>Second insulation class II<br>Dimensions 462x90x142mm<br>Weight 3,9kg | 115 VOLT   |                | 3.90 |                 |       |        |         |           | 1                       | 60 |   |        |
|   | ZAKU MR-1010-230 | 033-MR-1010-230 | Max rated current 4,5A<br>Rated moment – first gear 18Nm<br>Rated moment – second gear 9Nm<br>Maximum torque – first gear 195Nm<br>Maximum torque – second gear 95Nm<br>Second insulation class II<br>Dimensions 462x90x142mm<br>Weight 3,9kg  | 230 VOLT   |                | 3.90 |                 |       |        |         |           | 1                       | 60 |   |        |
|   |                  |                 |  |  |                |      |                 |       |        |         |           |                         |    |   |        |
|     | ZAKU-370M        | 033-370M        | ZAKU- 370M is designed to smooth basecoats in EWIS systems also for lime ,cement plaster.<br>The mixer is fitted with a protective safety device that, in the event of a power failure, it won't re-start automatically.<br>Equipped with a 6.5-meter connection cable, allowing you to freely work tool.  | <b>available ONLY 230V</b><br>500W<br>270 x 160 x 370 mm |                | 2.45 |                 |       |        |         |           | 30                      |    | € | -      |
|   |                  |                 |  |  |                |      |                 |       |        |         |           |                         |    |   |        |
|   | ZAKU HK-140-115  | 022-HK-140/115  | For cutting EPS boards<br>Max. 140mm<br>Plastic case optional<br>Optional grooving blades available<br>115 VOLT 50Hz -<br><b>Those made for USA are 60Hz &amp; will burn out !</b>   | 140mm - BLADE  |                |      |                 |       |        |         | 10        | 400                     |    | € | 129.60 |
|   | ZAKU HK-140-230  | 022-HK-140/230  | 230 VOLT<br>Max. 180mm<br>Optional grooving blades available   | 140mm - BLADE  |                |      |                 |       |        |         | 10        | 400                     |    | € | 129.60 |
|  | BOX FOR HK-140   | 042-HK-140/BOX  | Made of plastic  |  |                |      |                 |       |        |         | 10        | 80                      |    | € | 28.40  |

| Product  |                        |                    | Unit  | Package  | Package weight |       | Package size mm |       |        |        | Package   | Package      | Private label available |        |        |
|--|------------------------|--------------------|---|--|----------------|-------|-----------------|-------|--------|--------|-----------|--------------|-------------------------|--------|--------|
| Picture  |                        | CODE               | Description   | Size   | description    | kg    | diameter        | width | length | height | items/box | items/pallet |                         |        |        |
|   | ZAKU HK-230            | 025-HK-230/115     | For cutting EPS boards<br>Max. 230mm<br><b>RECOMMENDED FOR PASSIVE HOUSES</b>   | 115 VOLT<br>Max. 230mm<br>Accessories optional |                | 4.00  |                 |       | 230    |        | 1         | 30           | €                       | 499.00 |        |
|  | ZAKU HK-230            | 025-HK-230/230     | Max. 230mm<br>Accessories optional  | 230 VOLT<br>Max. 230mm<br>Accessories optional |                | 4.00  |                 |       | 230    |        | 1         | 30           | €                       | 499.00 |        |
|   | ACCESSORIES FOR HK-230 | 025-HK-230/ACCE    | 1. Depth setting tool<br>2. 90 degree bracket<br>3. 1.5m straight edge  | OPTIONAL                                       |                |       |                 |       |        |        | 1         | 30           | €                       | 117.00 |        |
|   | BOX FOR HK-230         | 042-HK-230/BOX     | Made of plastic   | OPTIONAL                                       | new            |       |                 |       |        |        | 10        | 80           | €                       | 84.30  |        |
|   | ZAKU HW-1300           | 025-HW-1300/115    | <b>For cutting EPS boards 270mm-standard or 500mm-XXL</b><br>Portable Hot Wire Foam Cutter<br>Weighs Only 18kg<br>Sets Up and Folds Down in Seconds<br>Cuts 270 EPS Foam at 90° and Harp Swings<br>90° for Angle Cuts<br>Cuts EPS Tapers<br>Aluminium Top<br>110 Volts. Also Available in 220 Volts<br>Built-in 24" Table Extension<br>Cutting Width 1300mm<br>Foot switch and box optional<br>It's amazing what it will do! This hot wire machine weighs only 18 kilograms and is small enough to fit in the boot of your car.<br>The hot wire will remain in any cutting height position that you choose.<br>Saves time and minimises waste ! | 115 VOLT                                       |                | 18.00 |                 |       | 230    |        | 1         | 12           | €                       | 820.00 |        |
|  | ZAKU HW-1300           | 025-HW-1300/230    |   | 230 VOLT                                       |                | 18.00 |                 |       | 230    |        | 1         | 12           | €                       | 820.00 |        |
| <br><b>Can cut 500mm thick boards!!!</b>   | ZAKU HW-1300 XXL       | 025-HW-1300XXL/115 |   | 115 VOLT                                       |                | 22.00 |                 |       | 230    |        | 1         | 10           | €                       | 850.00 |        |
|  | ZAKU HW-1300 XXL       | 025-HW-1300XXL/230 |   | 230 VOLT                                       |                | 22.00 |                 |       | 230    |        | 1         | 10           | €                       | 850.00 |        |
|   | ZAKU HW-FOOT SWITCH    | 025-HW-FOOT SWITCH |   | HANDS FREE                                     |                |       | 2.00            |       |        | 230    |           | 1            | 240                     | €      | 78.00  |
| <br> | BOX FOR HW-1300        | 22-HK-1300/BOX     |   | Made of plywood                                |                |       | 12.00           |       |        |        |           | 1            | 12                      | €      | 190.00 |
|  | BOX FOR HW-1300 XXL    | 025-HK-1300XXL/BOX |   |  |                | 14.00 |                 |       |        |        | 1         | 12           | €                       | 190    |        |

| Product   |   |                   | Unit  | Package | Package weight |              | Package size mm |       |        | Package | Package   | Private label available |  |         |
|---|---|-------------------|---|---------|----------------|--------------|-----------------|-------|--------|---------|-----------|-------------------------|--|---------|
| Picture   |   | CODE              | Description   | Size    | description    | kg           | diameter        | width | length | height  | items/box | items/pallet            |  |         |
|    | <b>I-Section 1.25m</b><br><b>048-380002</b>             | <b>048-380002</b> | For scraping monocouche plaster   |         |                |              |                 |       |        |         |           |                         |  | € 17.04 |
|    | <b>Serrated Straight Edge 1.2m</b><br><b>048-380606</b> | <b>048-380606</b> | For levelling monocouche plaster  |         |                |              |                 |       |        |         |           |                         |  | € 41.07 |
|   | <b>Serrated Straight Edge 1.5m</b><br><b>048-380608</b> | <b>048-380608</b> | For levelling monocouche plaster  |         |                |              |                 |       |        |         |           |                         |  | € 42.84 |
|   | <b>Serrated Straight Edge 1.8m</b><br><b>048-380607</b> | <b>048-380607</b> | For levelling monocouche plaster  |         |                |              |                 |       |        |         |           |                         |  | € 70.26 |
|    | <b>Steel plaster scraper</b><br><b>250x130 001-1420</b> | <b>001-1420</b>   | For scraping monocouche plaster for finishing plaster "8mm gang-nail plate"   |         |                |              |                 |       |        |         | 20        | 700                     |  | € 9.56  |
|    | <b>French Float ABS 048-300102</b>                      | <b>048-300102</b> | ABS Trowel 270 x 180mm for finishing plaster "honeycomb board"  |         |                |              |                 |       |        |         | 6         |                         |  | € 11.97 |
|   | <b>Scaffold Netting "Green NET 50" 015-SMG 50</b>       | <b>015-SMG 50</b> | Scaffold Netting "Green NET 50" 2.7x10m for stopping EPS beads.   |         |                | <b>1.35</b>  |                 | 2.7m  | 10m    |         | 10        | 200                     |  | € 22.55 |
|  | <b>Multi TARP 150</b>                                   | <b>015-ST 4x5</b> | Tent Covering Multi TARP 150 is primarily used for covering and securing basecoats & acrylic finishes from weather. <b>It takes ~3 days for acrylic plaster to dry!</b> White - less light restriction than green or blue ones! |         |                | 4.00         |                 |       |        |         | 6         | 360                     |  | € 44.66 |
|   | <b>FLEXI BINDER 250mm - pack of 100 No</b>              | <b>015-FB 250</b> | 250mm Elastic Ties - minimises eyelets ripping. Recommended - min. 10No. per tarp   |         |                | <b>10.00</b> |                 |       |        |         | 100       | <b>10000</b>            |  | € 68.89 |



| Product   |  |                       | Unit   | Package | Package weight |    | Package size mm |       |        | Package | Package   | Private label available |  |
|---|--|-----------------------|--|---------|----------------|----|-----------------|-------|--------|---------|-----------|-------------------------|--|
| Picture   |  | CODE                  | Description  | Size    | description    | kg | diameter        | width | length | height  | items/box | items/pallet            |  |
|     | <b>HI VIS VEST 100No with logo and print sizes M to XXXL</b> |                       | <p>100 No. of HI VIS VEST YELLOW with 2 colour logo &amp; print on the back " colour YELLOW</p> <p>Warning waistcoat with two fluorescent strips</p> <ul style="list-style-type: none"> <li>- 100% polyester</li> <li>- basis weight 120 g/m2</li> <li>- fastened by means of a Velcro</li> <li>- two horizontal fluorescent strips</li> <li>- perfect for road menders</li> <li>- it conforms to the requirements of the EN471 standard.</li> </ul>   |         |                |    |                 |       |        |         | 100       |                         |  |
|    | <b>PLASTERERS SAFETY BOOTS SIZE 39 to 47</b>                 | <b>007-SB-BRP</b>     | <p>=B149=J151 matching brown colour</p> <ul style="list-style-type: none"> <li>- strong lace grips enable proper lacing without risk of damaging</li> <li>- sole made of double polyurethane, oil resistant, anti-slipping, impact absorption under heel</li> <li>- steel insert protecting against sole puncture</li> <li>- steel under-toe resistant to impact with 200J energy and bending up to 15 kN.</li> <li>- S3 type meet requirements of norm EN345-1.</li> </ul>  |         |                |    |                 |       |        |         | 1         | 160                     |  |
|     | <b>SAFETY HELMET</b>   | <b>007-SH-W</b>       | <p>WHITE,BLUE,YELLOW,RED, GREEN , ORANGE</p> <p>Helmet made of HDPE.</p> <ul style="list-style-type: none"> <li>- the textile framing adapts to the shape of a user's head</li> <li>- universal holes at the sides of the helmet, in which earmuffs can be mounted</li> <li>- a big space available for placing a logo at the front, at the back and at the sides of the helmet</li> <li>- possibility to attach a chin strip UNIVERSTRAP to the helmet</li> <li>- it guarantees safety against falling objects, in accordance with the EN397 standard</li> </ul>  |         |                |    |                 |       |        |         | 25        | 250                     |  |
|   | <b>EAR PROTECTORS</b>  | <b>007-EP-OSB</b>     | <p>Hearing protectors.</p> <ul style="list-style-type: none"> <li>- noise reduction: H=36dB, M=30dB, L=22dB, SNR=32dB</li> <li>- bow equipped with cushion, thanks to which it ensures work comfort and does not cause head pinching</li> <li>- meet requirements of the EN352-1 standard</li> </ul>   |         |                |    |                 |       |        |         | 24        | 480                     |  |
|  | <b>DUST MASK</b>   | <b>007-DM-F-FFP2V</b> | <p>Anti-dust half-mask with valve.</p> <ul style="list-style-type: none"> <li>- FFFP2 type: protection against non-toxic or medium toxic liquid or solid aerosols (e.g. oil mists) in concentrations 12.5xOEL or 10xAPF (NDS)</li> <li>- fixed with elastic band</li> <li>- exhaust valve in the front</li> <li>- metal buckle at nose level on the outside</li> <li>- foam pad protects nose from abrasions</li> <li>- round shape provides fitting to the face</li> <li>- ideal protection against dust and metallic smoke, small particles, oil mist or ozone</li> <li>- used with wood and metal processing, grinding and painting</li> <li>- small package 10 pieces</li> <li>- compliant with norm EN149.</li> </ul> |         |                |    |                 |       |        |         | 12        | 1728                    |  |
|  | <b>SAFETY GLASSES</b>  | <b>007-SG-FRAMEB</b>  | <p>Anti-splinter protective glasses.</p> <ul style="list-style-type: none"> <li>- optical class 1</li> <li>- equipped with adjustment of the arms length</li> <li>- black frame</li> <li>- small holes in the arms ends, to which e.g., string can be attached, thanks to which the glasses can be hanged around neck</li> <li>- intended for protection of eyes against splinters of solid objects occurring during manual and machine processing of metals, wood, plastics, ceramic materials, exploiting minerals etc.</li> <li>- ensure protection against small splinters of solid objects hitting with the energy up to 45 m/s (F)</li> <li>- meet requirements of the EN166 standard</li> </ul>                     |         |                |    |                 |       |        |         | 12        | 3000                    |  |